A CHOICE THAT IS YOURS TO MAKE

Long-term medicine for bipolar: what to weigh

A CHOICE THAT IS YOURS TO MAKE

There is no single right answer

IN SHORT

After a big high or a deep low, a doctor may suggest medicine to keep mood steady for the long term. Some people start it. Others hold off and review it later. Either way, the decision is yours to make with a doctor.

Neha is 29 and teaches at a school in Nashik. Months after a hard high, she feels like herself again. Her doctor has raised long-term medicine. Her mother-in-law worries about years of tablets, and about what relatives will say. Her husband worries more about another episode.

In many of our homes the worry pulls both ways. Neither fear has to decide this for you.

This guide does not push you either way. It lays the choice out plainly so you can weigh it, then take your own questions to a doctor. The clinical name you may hear for this pattern is bipolar, and only a doctor can say whether it fits. Nothing here is a diagnosis, and nothing here has to be settled today.

THE HONEST TRADE-OFFS

What you are weighing

IN SHORT

Guidelines advise reviewing the plan regularly, so you can adjust it with your doctor over time.

	IF YOU TAKE LONG-TERM MEDICINE	IF YOU HOLD OFF AND LEAN ON OTHER SUPPORTS
How it can help	In trials, most medicines tested lowered the chance of another episode, high or low, when taken long term, even while well.	In trials, learning about the pattern and structured therapy, added to medicine, lowered the chance of another episode.
What it does not do	It lowers the chance of episodes but does not remove it. Some people still have episodes while taking it.	The trials tested these supports alongside medicine, not instead of it, so they do not show how well they work alone.
What it can cost	Side effects differ from one medicine to another. Some need regular blood tests and check-ups.	In the medicine trials, more people had another episode without it. An episode can strain work, study and family.
How the choice is made	Guidelines name one long-term medicine as having the strongest evidence for most people. A doctor weighs it against side effects, check-ups and your own life. Other medicines suit some people better.	Holding off is also a decision to make with a doctor, with a clear plan for which early signs to watch and when to revisit.

A word on check-ups. Some medicines in this group, often called mood stabilisers, need regular blood tests. These check the amount in the blood and how the body is coping. Others need regular checks on weight, blood sugar and heart health.

If a baby might be part of your future, ask about it early, ideally before a pregnancy. Some medicines in this group need a change of plan around pregnancy. If you find you are pregnant, speak to your doctor straight away, before changing anything yourself.

The same care applies to stopping. Stopping suddenly can make an episode more likely, so a doctor plans a slow, watched change with you. Guidelines also advise offering therapy, including with your family, whichever path you choose.

If a low ever brings thoughts that life is not worth living, do not carry this alone. Reach a doctor the same day, or call Tele-MANAS on 14416, a free government mental-health helpline. In an emergency, call 112.

TAKE THESE WITH YOU

Questions to take to your doctor

IN SHORT

You do not have to decide alone or all at once. Bring a few of these questions to your next visit. Good questions turn the visit into a shared decision.

1. Given my past episodes, how much do you think long-term medicine would lower the chance of another one?
2. What would the other supports look like for me, like learning sessions, therapy, or a mood diary, and can we start them now?
3. Which side effects should we watch for, and which check-ups would I need, and how often?
4. If a baby might be part of my future, how would that change the plan, and when should we talk about it?
5. How will we know the plan is working, and which early signs would make you want to see me sooner?
6. If we start, how would we change or stop later, slowly and safely? And if we wait, what would make you suggest revisiting it?

In a review of digital decision aids in mental health care, people felt somewhat less torn about their choices, but the evidence is weak. Starting, continuing or stopping long-term medicine is a shared decision you make with your doctor, who weighs your history, what matters to you and your circumstances.

TRY THIS

Before your next appointment, write down the one thing you most want this decision to protect: staying well, feeling like yourself, work, study, or family plans. Then pick the two questions above that matter most, and keep them on your phone. If a family member is coming with you, share the list with them first. That small list keeps the decision in your hands.

WHERE THIS COMES FROM

NICE guideline. Bipolar disorder: assessment and management (CG185). 2014. nice.org.uk/guidance/cg185

Miura T. Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. Lancet Psychiatry, 2014. doi.org/10.1016/S2215-0366(14)70314-1

Colom F. A randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission. Arch Gen Psychiatry, 2003. doi.org/10.1001/archpsyc.60.4.402

Miklowitz DJ. Adjunctive psychotherapy for bipolar disorder: a systematic review and component network meta-analysis. JAMA Psychiatry, 2021. doi.org/10.1001/jamapsychiatry.2020.2993

Vitger T. Digital Shared Decision-Making Interventions in Mental Healthcare: A Systematic Review and Meta-Analysis. Front Psychiatry, 2021. doi.org/10.3389/fpsyt.2021.691251

FURTHER READING

- NHS: Bipolar disorder, Treatment
- Royal College of Psychiatrists: Bipolar disorder

This aid helps you think and ask. It does not recommend a choice and is not a prescription. Decide with a doctor who knows your history.

- Feeling like it is all too much? **Read the crisis card.** Help is one page away.
- Tele-MANAS, the free national helpline: **14416**. Any time, day or night. From the Government of India.
- Wondering whether to talk to someone? **Read how an assessment works.** No rush, and no pressure.